





T-leg



2Fmultimedia
Editoria & Tecnologia



A decorative dashed line starts from the top left, curves downwards and to the right, and then continues horizontally to the right edge of the page.

Indice

Content

T-LEG TAVOLI RIUNIONE - T-LEG MEETING TABLES	4
T-LEG OPERATIVE - T-LEG OPERATIVE	
T-leg scrivanie melaminico - T-leg melamine desks	14
T-leg workstation melaminico - T-leg melamine workstation	20
T-LEG DETTAGLI - T-LEG DETAILS	26
ACCESSORI PER ELETTRIFICAZIONE	28
ELECTRIFICATION ACCESSORIES	
FINITURE - FINISHES	30
ABACO - ABACO	32
DESCRIZIONI TECNICHE - TECHNICAL DESCRIPTIONS	34

T-leg meeting.

Una forma che esprime la sostanza. T-Leg è una collezione di tavoli che prende il nome dalla forma caratteristica della gamba, ispirata ad una funzionalità intelligente. Prodotta in tre colori, bianco, nero e grigio, la gamba è infatti canalizzabile, come anche la trave sottopiano, per alloggiare comodamente i cavi di alimentazione. Non resta che scoprire tutte le combinazioni di forme, gli accessori e le diverse finiture a scelta.

A shape that expresses substance. T-Leg is a collection of tables that takes its name from the characteristic shape of the leg, inspired by intelligent functionality. Produced in three colors, white, black and gray, the leg can be channeled, as can the under-top beam, to conveniently house power electrical cables. All that remains is to discover all the combinations of shapes, accessories and different finishes to choose from.





T-leg tavoli riunione

T-leg meeting tables

Piani in melaminico finitura olmo chiaro, gambe verniciate bianco.
Melamine tops in light elm finish, white varnished legs.



T-LEG TAVOLI RIUNIONE - T-LEG MEETING TABLES

Mettiamo tutti d'accordo

Let's get everyone to agree

Una silhouette snella e moderna, con forme sagomate o rette, disponibile in profondità 900 mm e in lunghezze variabili, per costruire il proprio spazio riunione ideale, dal più riservato fino alla grande composizione conferenza, creata tramite raccordi angolari. Le finiture, con diverse venature effetto legno oppure con colori pieni, sapranno dialogare con ogni stile di arredamento.

A slim and modern silhouette, with shaped or straight shapes, available in depth 900 mm and in variable lengths, to build your ideal meeting space, from the most private to the large conference composition, created with corner joints. The finishes, with different wood-effect grains or with solid colours, will be able to dialogue with any style of furniture.



Piani in melaminico finitura olmo naturale, gambe verniciate grigio.
Melamine tops in natural elm finish, grey varnished legs.



Piani in melaminico finitura bianco.
Melamine top in white finish.

Piani in melaminico finitura noce chiaro, gambe verniciate bianco.
Armadio serie Cabinet in melaminico finitura extra, bianco e noce chiaro.
Melamine tops in light walnut finish, white varnished legs.
Cabinet series wardrobe in melamine with extra, white and light walnut finish.





Piani in melaminico finitura noce chiaro, gambe verniciate antracite.
 Armadio serie Vertex in melaminico finitura blu e bianco.
 Melamine tops in light walnut finish, anthracite varnished legs.
 Vertex series wardrobe in melamine with blue and white finish.

T-leg operative.

Le operative T-Leg sono progettate per essere al servizio del comfort, soprattutto quando l'attività prevede prolungate sessioni. Infatti, la gamba è prodotta sia in variante fissa che elevabile, con sistema elettrico oppure con passo-passo manuale; è dunque più facile cambiare spesso postura e adattare la scrivania alle diverse esigenze, per garantire maggiore benessere ed efficienza.

The T-Leg operatives are designed to be at the service of comfort, especially when the activity involves prolonged sessions. In fact, the leg is produced in both fixed and elevating variants, with an electric manual step-by-step system; it is therefore easier to change posture often and adapt the desk to different needs to ensure greater well-being and efficiency.





T-leg operative

Piani in melaminico finitura tortora, gambe verniciate bianco.
Tops in melamine taupe finish, white varnished legs.


T-LEG SCRIVANIE OPERATIVE - OPERATIVE T-LEG DESKS

Ogni scelta è personale

Every choice is personal

Le scrivanie operative T-Leg diventano lo spazio perfetto per tenere tutto a portata di mano, grazie anche agli allunghi che permettono di creare composizioni personali, con maggiore spazio libero ma anche cassettiere e mobili coplanari. Con i pratici screen, anche fonoassorbenti, è semplice creare spazi condivisi e allo stesso tempo offrire la giusta riservatezza.

T-Leg operative desks become the perfect space to keep everything within reach, thanks also to the extensions that allow for the creation for personal compositions with more free space but also drawers and coplanar furniture. The practical screens which are also sound-absorbent make it is easy to create shared spaces and at the same time offer the right privacy.



Piani in melaminico finitura verde, gambe verniciate grigio.
Melamine tops in green finish, grey varnished legs.



Piani in melaminico finitura olmo naturale, gambe verniciate bianco.
Melamine tops in natural elm finish, white varnished legs.



Piani in melaminico finitura olmo chiaro, gambe verniciate bianco.
Armadio serie Cabinet in melaminico finitura bianco e olmo chiaro.
Screen in metacrilato.
Melamine tops in light elm finish, white varnished legs.
Cabinet series wardrobe in melamine with white and light elm finish.
Methacrylate screen.



Piani in melaminico finitura extra, gambe verniciate antracite.
Melamine tops in extra finish, anthracite varnished legs.



T-leg workstation

Piani in melaminico finitura bianco, gambe verniciate antracite.
Screen in melaminico finitura extra.
Cube in melaminico finitura bianco e grigio.
White finish melamine tops, anthracite varnished legs.
Screen in melamine extra finish.
Cube in melamine white and grey finish.


T-LEG OPERATIVE WORKSTATION

Disegnate per collaborare

Designed to collaboration

Le workstation T-Leg, componibili anche con gamba autoportante e con cassetiera, sono sagomate per facilitare l'operatività e adattarsi ad ogni tipo di spazio. Gli screen fonoassorbenti diventano anche un elemento decorativo d'arredo e i tappi passacavi o ulteriori elementi di elettrificazione assicurano più ordine sul piano di lavoro.

The T-Leg workstations, also modular with self-supporting leg and drawers are shaped to facilitate operation and adapt to any type of space. The sound-absorbing screens also become a decorative furnishing element and the cable glands or additional electrification elements ensure greater order on the work surface.



Piani in melaminico finitura olmo naturale, gambe verniciate grigio.
Melamine tops in natural elm finish, grey varnished legs.



Piani in melaminico finitura salice, gambe verniciate antracite.
Armadio serie Cabinet in melaminico finitura extra.
Armadio serie Cabinet in melaminico finitura extra e bianco.
Melamine tops in salix finish, anthracite varnished legs.
Cabinet series wardrobe in melamine extra finish.
Cabinet series wardrobe in melamine extra and white finish.



Piani in melaminico finitura extra, gambe verniciate grigio.
Armadio serie Cabinet in melaminico finitura extra e grigio.
 Melamine tops in extra finish, legs varnished grey.
 Cabinet series wardrobe in melamine extra and grey finish.

T-leg Operative dettagli

T-leg Operative details



Gamba elevabile passo passo
Manual elevable leg



Gamba regolabile elettricamente
Electrically adjustable leg



Gamba fissa con vano salita cavi
Fixed leg with cable compartment



Ruota con freno
Braking castor



Chiusura ammortizzata
Soft closing



Vaschetta porta cancelleria
Stationery tray



Trave estensibile
Extendable crossbar



Trave fissa
Fixed crossbar



Maniglie finitura bianco e grigio
Handles with white and grey finish

T-leg accessori per elettrificazione

T-leg accessories for electrification

I nostri accessori permettono di mantenere lo spazio operativo sempre ben organizzato e in ordine, adattandolo alle molteplici esigenze dell'utenza.

Our accessories allow for maintaining well organized and in order operational space, adapting it to the user's multiple needs.



Tappo passacavi tondo
Round cable duct cap



Top access apertura da un lato
Top access with side opening




Top access apertura da due lati
Top access with double opening



Versapad 1 Schuko - 1 RJ45 + USB 5V (battery recharge)
Versapad 1 Schuko - 1 RJ45 + USB 5V (battery recharge)



Caricabatterie ad induzione
Induction battery charger



Multiconnettore Vertikal Push 3 prese Schuko 6A e 3 USB 5V DC
Multiconnector vertical push 3 Schuko jacks 6A and 3 USB 5V DC



Multipresa Atom 2 prese Schuko 13 A -2 USB 5V DC con apertura automatica
Multi jack Atom with 2 jacks Schuko 13 A-2 USB 5V DC with automatic opening



Multipresa Atom 2 prese Schuko 13 A -2 USB 5V DC - 1 RJ45 - 1 HDMI apertura
Multi jack Atom with 2 jacks Schuko 13 A-2 USB 5V DC - 1 RJ45 - 1 HDMI with opening



Porta CPU sospeso
Suspended CPU holder



Porta CPU su ruote
CPU holder on castors

Finiture Finishes

FINITURE MELAMINICO MELAMINE FINISHES

BI

Bianco
White

GR

Grigio
Gray

TR

Tortora
Taupe

NR

Nero
Black

BL

Blu
Blue

VR

Verde
Green

NC

Noce chiaro
Light walnut

NS

Noce scuro
Dark walnut

OC

Olmo chiaro
Light elm

ON

Olmo naturale
Natural elm

RC

Rovere chiaro
Light durmast

SA

Salice
Salix

FINITURE GAMBE LEG FINISHES

Bianco
White

Grigio
Gray

Antracite
Anthracite

FINITURE MANIGLIE HANDLES FINISHES

RAL 9010

Bianco
White

RAL 9006

Grigio
Gray

FINITURE SCREEN FONOASSORBENTE SOUND ABSORBING SCREEN FINISHES

FINITURE TESSUTI FABRIC FINISHES

0629

0426

0353

0358

0236

0332

0354

0625

0573

0356

0357

0359

0386

0425

0443

0532

0533

0534

0377

0999

5601

5552

5551

5502

5501

5452

5451

5301

5202

5201

FINITURE SCREEN METACRILATO METHACRYLATE SCREEN FINISHES

BI












Bianco White

T-leg system

SCRIVANIE - DESKS


SCRIVANIE FISSE ED ELEVABILI - FIXED AND ELEVATING DESKS

LUNGHEZZE FISSE - FIXED LENGTHS 800-1000-1200-1400-1600-1800
LUNGHEZZE ELEVABILI - ELEVATING LENGTHS 1200-1400-1600

SCRIVANIE P.800 DESKS D.800					
SCRIVANIE P.700 DESKS D.700					
SCRIVANIE P.600 DESKS D.600					




CASSETTIERA E MOBILE DI SERVIZIO - DRAWERS AND SERVICE CABINET

LUNGHEZZE - LENGTHS 420-800-1000-1180-1200

P. 600 D. 600		
------------------	---	---





APPENDICI - RETURN DESKS

LUNGHEZZE - LENGTHS 800-1000-1200

P. 800-600 D. 800-600			
--------------------------	---	---	---






APPENDICI, ALLUNGHI E RACCORDI COMUNI - COMMON EXTENSIONS AND JUNCTIONS

LUNGHEZZE - LENGTHS 600-800-900-970-1000

P. 600-700- 800 D. 600-700-800				
-----------------------------------	---	---	---	---





MOBILI CONTENITORI COMPLANARI - COPLANAR CABINETS

LUNGHEZZE - LENGTHS 420-800-900

P. 600-700- 800 D. 600 700-800					
-----------------------------------	---	---	---	---	---

SCHERMI E MODESTY - SCREENS AND MODESTY PANELS







LUNGHEZZE - LENGTHS 800-1000-1200-1400-1600-1800

MODESY			
SCHERMI SCREEN			

T-leg system

WORKSTATIONS

PROFONDITÀ - DEPTH 1200-1400-1600

L. 1600 L. 1600			
L. 1800 L. 1800			

T-leg system

DESCRIZIONI TECNICHE

Tavoli riunione

Piani realizzati in conglomerato ligneo, classe E1 di rilascio formaldeide, nello spessore mm 25-30 e rivestito con carta melaminica ad alta resistenza. Bordi perimetrali in ABS dello stesso colore del piano, spessore mm 2 con spigoli arrotondati secondo le norme antinfortunistiche.

Struttura metallica con gambe a “T” rovesciata, fusto verticale in lamiera presso piegata sezione 100x35 con carter interno che permette la salita di eventuali cavi.Trave sotto piano canalizzata, realizzata in lamiera presso piegata sezione 80x35. Travi fissa per i tavoli riunione monoblocco, telescopica per i tavoli riunione composti. Le travi sono verniciate a polveri epossidiche colore grigio, bianco o antracite. Gamboni portanti per raccordi in tubolare sezione 50x50 verniciati a polveri epossidiche colore grigio, bianco o antracite e dotati di piedino livellatore.

Scrivanie e workstation

Piani realizzati in conglomerato ligneo, classe E1 di rilascio formaldeide, nello spessore mm 25-30 e rivestito con carta melaminica ad alta resistenza. Bordi perimetrali in ABS dello stesso colore del piano, spessore mm 2 con spigoli arrotondati secondo le norme antinfortunistiche. Struttura metallica con gambe a “T” rovesciata, fusto verticale in lamiera presso piegata sezione 100x35 con carter interno che permette la salita di eventuali cavi. Trave sotto piano canalizzata, realizzata in lamiera presso piegata sezione 80x35. Travi fissa per i tavoli riunione monoblocco, telescopica per i tavoli riunione composti. Le travi sono verniciate a polveri epossidiche colore grigio, bianco o antracite. Gamboni portanti per raccordi in tubolare sezione 50x50 verniciati a polveri epossidiche colore grigio, bianco o antracite e dotati di piedino livellatore. Modesty panel disponibile per applicazione nelle scrivanie delle varie lunghezze in melaminico sp. mm 18.

Cassettiera portante per scrivanie, appendici e workstation

Cassettiera portante Costituita da base, cappello, fianchi e retro realizzata in conglomerato ligneo, classe E1 di rilascio formaldeide, nello spessore mm 18 e rivestito con carta melaminica ad alta resistenza. Bordi perimetrali in ABS dello stesso colore spessore mm 0.4. Frontali in conglomerato ligneo, classe E1 di rilascio formaldeide, nello spessore mm 18 e rivestito con carta melaminica ad alta resistenza. Bordi perimetrali in ABS dello stesso colore spessore mm 1. Interno cassetto realizzato in conglomerato ligneo ricoperto in PVC grigio e fondo in MDF sp. 3mm. Sistema di scorrimento su guide metalliche, trattate anticorrosione, a rullo con cuscinetti in nylon, e arresto di fine corsa. I cassetti possono essere dotati di chiusura ammortizzata (opzionale). La cassettera è dotata di 4 piedini regolabili ed è fornita di serratura con chiave pieghevole in duplice copia e chiusura simultanea dei cassetti. Maniglie in plastica colore grigio di serie.

TECHNICAL DESCRIPTIONS

Meeting tables

Tops made of Class E1 formaldehde gas release conglomerated chipboard wood with 25-30 mm thickness and covered with high resistance melamine paper. ABS 2 mm thick perimeter edging in the same colour as the top, the corners are rounded and comply to accident prevention standards. Metal structure with inverted “T shaped” legs, vertical shaft in press-folded sheet metal, sectioned 100x35 with internal casing that allows the ascent of eventual cables. Beam under-top channeled and made of sectioned 80x35 folded sheet metal. Fixed beams for monoblock meeting tables, telescopic for composed meeting tables.

The beams are availabe in grey, white or anthracite epoxy powder coated steel. Load-bearing legs for junctions made of grey, white or anthracite epoxy powder coated tubular sectioned steel 50x50 equipped with leveling foot.

Desks and workstations

Tops made of Class E1 formaldehde gas release conglomerated chipboard wood with 25-30 mm thickness and covered with high resistance melamine paper. ABS 2 mm thick perimeter edging in the same colour as the top, the corners are rounded and comply to accident prevention standards. Metal structure with inverted “T shaped” legs, vertical shaft in press-folded sheet metal, sectioned 100x35 with internal casing that allows the ascent of eventual cables. Beam under-top channeled and made of sectioned 80x35 folded sheet metal. Fixed beams for monoblock meeting tables, telescopic for composed meeting tables. The beams are availabe in grey, white or anthracite epoxy powder coated steel. Load-bearing legs for junctions made of grey, white or anthracite epoxy powder coated tubular sectioned steel 50x50 equipped with leveling foot. Modesty panel available in melamine 18 mm thickness to be applied to desks of various lengths.

Structural drawer unit for desks, return desks and workstations

Structural drawer unit composed of a base, top, sides and back made of class E1 formaldehde gas release conglomerated chipboard wood with 18 mm thickness and covered with high resistance melamine paper. ABS 0,4mm thick perimeter edging in the same colour. The fronts are made of E1 formaldehde gas release 18 mm thick conglomerated chipboard wood covered with high resistance melamine paper. 1 mm ABS edging on all sides in the same colour. The inside of the melamine drawers are coated with an aluminium grey PVC finish with MDF 3 mm thickness bottom. Guided system anti corrosion treated metal runners with roller nylon bearings, and end-of-stroke stop. The drawers can be equipped with a cushioned closure (optional). The drawer unit is equipped with 4 adjustable feet and simultaneous drawer locking by means of a foldable key in duplicate copies. The handles are in grey plastic by series.

(Disponibili ulteriori maniglie opzionali). Gamboni portanti per raccordi, appendici e penisole in tubolare sezione 50x50 verniciati a polveri epossidiche colore grigio, bianco o antracite e dotati di piedino livellatore. Schermi frontali di diverse tipologie sono applicabili, tramite staffe in lamiera piegata e verniciata, al sistema desk: In metacrilato dello spessore mm 4. In melaminico dello spessore mm 18 bordato in ABS mm 1 da tutti i lati. In materiale fonoassorbente spessore mm 18 rivestito in tessuto Trevira CS.

Cassettiera e mobile di servizio

Struttura costituita da base, cappello, fianchi e retro realizzata in conglomerato ligneo, classe E1 di rilascio formaldeide, nello spessore mm 18 e rivestito con carta melaminica ad alta resistenza. Bordi perimetrali in ABS dello stesso colore spessore mm 0.4. Frontali in conglomerato ligneo, classe E1 di rilascio formaldeide, nello spessore mm 18 e rivestito con carta melaminica ad alta resistenza. Bordi perimetrali in ABS dello stesso colore spessore mm 1, top in melaminico sp. mm 25 bordati in ABS sp. 1 mm. Interno cassetto realizzato in conglomerato ligneo ricoperto in PVC grigio e fondo in MDF sp. 3mm. Sistema di scorrimento su guide metalliche, trattate anticorrosione, a rullo con cuscinetti in nylon, e arresto di fine corsa. I cassetti sono dotati di chiusura ammortizzata. La cassettera è dotata di vaschetta porta cancelleria, 4 ruote piroettanti diametro 65 con freno ed è fornita di serratura con chiave pieghevole in duplice copia e chiusura simultanea dei cassetti. Maniglie in plastica colore grigio di serie. (Disponibili ulteriori maniglie opzionali).

Mobili complanari

Realizzati in conglomerato ligneo, classe E1 di rilascio formaldeide, nello spessore mm 18 e rivestito con carta melaminica ad alta resistenza. Bordi perimetrali in ABS dello stesso colore spessore mm 0,4. Giunzioni in metallo e piedini livellatori in PVC regolabili dall'interno del mobile tramite perno filettato in acciaio. Retro in conglomerato ligneo spessore mm 18. Ante in conglomerato ligneo, classe E1 di rilascio formaldeide, nello spessore mm 18 e rivestito con carta melaminica ad alta resistenza. Bordi perimetrali in ABS dello stesso colore spessore mm 1, cerniere in metallo fissate ai fianchi con basetta a triplice regolazione. Top in melaminico sp. mm 25-30 bordati in ABS sp. 2mm. Maniglie in plastica colore grigio di serie. (Disponibili ulteriori maniglie opzionali).

Cassettiere complanari

Costituita da base, cappello, fianchi e retro realizzata in conglomerato ligneo, classe E1 di rilascio formaldeide, nello spessore mm 18 e rivestito con carta melaminica ad alta resistenza. Bordi perimetrali in ABS dello stesso colore spessore mm 0.4. Frontali in conglomerato ligneo, classe E1 di rilascio

(Additional optional handles available). Load-bearing legs for junctions, return desks and peninsulas made of grey, white or anthracite epoxy powder coated tubular sectioned steel 50x50 equipped with leveling feet. Frontal screens of different types can be applied by means of folded and painted sheet metal brackets to the desk system: In 4 mm thickness methacrylate. In melamine 18 mm thickness with 1mm ABS edging on all sides. In 18 mm thickness sound-absorbing material upholstered with Trevira CS fabric.

Drawer unit and furniture service unit

The structure is composed of a base, top, sides and back made of class E1 formaldehde gas release conglomerated chipboard wood with 18 mm thickness and covered with high resistance melamine paper. ABS 0,4 mm thick perimeter edging in the same colour. The fronts are made of E1 formaldehde gas release 18 mm thick conglomerated chipboard wood covered with high resistance melamine paper. 1 mm ABS edging on all sides in the same colour, melamine top 25 mm thickness with ABS 1 mm edging. The inside of the melamine drawers are coated with an aluminium grey PVC finish with MDF 3 mm thickness bottom. Guided system anti corrosion treated metal runners with roller nylon bearings, and end-of-stroke stop. The drawers are equipped with a cushioned closure. The drawer unit is equipped with a stationary tray and four swivel braking wheels diameter 65 and simultaneous drawer locking by means of a foldable key in duplicate copies. The handles are in grey plastic by series. (Additional optional handles available).

Coplanar furniture

Made of class E1 formaldehde gas release conglomerated chipboard wood with 18 mm thickness and covered with high resistance melamine paper. ABS 0,4 mm thick perimeter edging in the same colour. Metal junctions and adjustable PVC levelling feet from inside the cabinet via threaded steel pin. The back is made of conglomerated chipboard wood with 18 mm thickness. The doors are made of class E1 formaldehde gas release conglomerated chipboard wood with 18 mm thickness and covered with high resistance melamine paper. ABS 1 mm thick perimeter edging in the same colour, metal hinges fixed to the sides with triple adjustment base. Melamine top with 25-30 mm thickness with ABS 2 mm edging. The handles are in grey plastic by series. (Additional optional handles available).

Coplanar drawer unit

Composed of a base, top, sides and back made of class E1 formaldehde gas release conglomerated chipboard wood with 18 mm thickness and covered with high resistance melamine paper. ABS 0,4 mm thick perimeter edging in the same colour. The fronts are made of E1 formaldehde gas release 18

T-leg system

DESCRIZIONI TECNICHE

formaldeide, nello spessore mm 18 e rivestito con carta melaminica ad alta resistenza. Bordi perimetrali in ABS dello stesso colore spessore mm 1. Interno cassetto realizzato in conglomerato ligneo ricoperto in PVC grigio e fondo in MDF sp. 3mm. Sistema di scorrimento su guide metalliche, trattate anticorrosione, a rullo con cuscinetti in nylon, e arresto di fine corsa. I cassetti possono essere dotati di chiusura ammortizzata (opzionale). La cassettera è dotata di 4 piedini regolabili ed è fornita di serratura con chiave pieghevole in duplice copia e chiusura simultanea dei cassetti. Maniglie in plastica colore grigio di serie. (Disponibili ulteriori maniglie opzionali).

Mobile alto con cassetto estraibile

Costituito da base, cappello, fianchi e retro realizzata in conglomerato ligneo, classe E1 di rilascio formaldeide, nello spessore mm 18 e rivestito con carta melaminica ad alta resistenza. Bordi perimetrali in ABS dello stesso colore spessore mm 0.4. Frontale in conglomerato ligneo, classe E1 di rilascio formaldeide, nello spessore mm 18 e rivestito con carta melaminica ad alta resistenza. Bordi perimetrali in ABS dello stesso colore spessore mm 1. Il cassetto è dotato di vaschetta porta cancelleria, ruota unidirezionale e serratura con chiave pieghevole in duplice copia. Maniglia in plastica colore grigio di serie. (Disponibili ulteriori maniglie opzionali).

Mobili complanare con cassetto estraibile

Costituito da base, cappello, fianchi e retro realizzata in conglomerato ligneo, classe E1 di rilascio formaldeide, nello spessore mm 18 e rivestito con carta melaminica ad alta resistenza. Bordi perimetrali in ABS dello stesso colore spessore mm 0.4. Frontale in conglomerato ligneo, classe E1 di rilascio formaldeide, nello spessore mm 18 e rivestito con carta melaminica ad alta resistenza. Bordi perimetrali in ABS dello stesso colore spessore mm 1. Top in melaminico sp. 25-30 mm bordati in ABS sp. 2 mm. Il cassetto è dotato di vaschetta porta cancelleria, ruota unidirezionale e serratura con chiave pieghevole in duplice copia. Maniglia in plastica colore grigio di serie. (Disponibili ulteriori maniglie opzionali).

Elemento superiore

Costituito da cappello e fianchi realizzati in conglomerato ligneo, classe E1 di rilascio formaldeide, nello spessore mm 18 e rivestito con carta melaminica ad alta resistenza. Bordi perimetrali in ABS dello stesso colore spessore mm 1. Su tutti gli arredi, ove possibile, possono essere applicati fori passacavi, flap ed elementi di elettrificazione presenti nella sezione "Accessori elettrificazione" della famiglia.

TECHNICAL DESCRIPTIONS

mm thick conglomerated chipboard wood covered with high resistance melamine paper. 1 mm ABS edging on all sides in the same colour. The inside of the melamine drawers are coated with an aluminium grey PVC finish with MDF 3 mm thickness bottom. Guided system anti corrosion treated metal runners with roller nylon bearings, and end-of-stroke stop. The drawers can be equipped with a cushioned closure (optional). The drawer unit is equipped with four adjustable feet and simultaneous drawer locking by means of a foldable key in duplicate copies. The handles are in grey plastic by series. (Additional optional handles available).

Tall furniture with pull-out drawer

Composed of a base, top, sides and back made of class E1 formaldehde gas release conglomerated chipboard wood with 18 mm thickness and covered with high resistance melamine paper. ABS 0,4 mm thick perimeter edging in the same colour. The fronts are made of E1 formaldehde gas release 18 mm thick conglomerated chipboard wood covered with high resistance melamine paper. 1 mm ABS edging on all sides in the same colour. The drawer is equipped with a stationery tray, one-way wheel and foldable key in duplicate copies. The handles are in grey plastic by series. (Additional optional handles available).

Coplanar furniture with pull-out drawer

Composed of a base, top, sides and back made of class E1 formaldehde gas release conglomerated chipboard wood with 18 mm thickness and covered with high resistance melamine paper. ABS 0,4 mm thick perimeter edging in the same colour. The fronts are made of E1 formaldehde gas release 18 mm thick conglomerated chipboard wood covered with high resistance melamine paper. 1 mm ABS edging on all sides in the same colour. Melamine top with 25-30 mm thickness with ABS 2 mm edging. The drawer is equipped with a stationery tray, one-way wheel and foldable key in duplicate copies. The handles are in grey plastic by series. (Additional optional handles available).

Upper element

Composed of top and sides made of class E1 formaldehde gas release 18 mm thick conglomerated chipboard wood covered with high resistance melamine paper. 1 mm ABS edging on all sides in the same colour. Cable duct holes, flaps ad all electrification elements may be applied (where possible) on all furnishings, see the "electrification accessories" section.



2F Multimedia

Via del Pratellino, 14B 50131
Firenze

Tel. 055 74 77 821

Email info@2fmultimedia.it

PEC 2fmultimedia@pec.it

Web www.2fmultimedia.it

P.Iva 04902300484